



WCAG 2.1 AA Level Web Accessibility Audit

Website: products.redcross.ca | Verdict : Compliant! | Date: December 1, 2020

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	18	0	100%

Code snapshots of some successful elements

- `en`
- ` Cart<i class="icon-...`
- `<button class="input-icon " tabindex="0" role="button">Search<i class="icon-search" aria-hidden="true" data-acsb-force-hidden="true"></i></button>`
- `Next carousel slide 1`
- `Next carousel slide 2`
- `Next carousel slide 3`
- `Next carousel slide 4`
- `Next carousel slide 5`
- `Next carousel slide 6`
- `Next carousel slide 7`



WCAG 2.1 AA Level Web Accessibility Audit

Website: products.redcross.ca | Verdict : Compliant! | Date: December 1, 2020

2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	18	0	100%
---	---	-----	----	---	------

Code snapshots of some successful elements

- `en`
- ` Cart<i class="icon-...`
- `<button class="input-icon " tabindex="0" role="button">Search<i class="icon-search" aria-hidden="true" data-acsb-force-hidden="true"></i></button>`
- `Next carousel slide 1`
- `Next carousel slide 2`
- `Next carousel slide 3`
- `Next carousel slide 4`
- `Next carousel slide 5`
- `Next carousel slide 6`
- `Next carousel slide 7`

3	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	3	0	100%
---	--	-----	---	---	------



WCAG 2.1 AA Level Web Accessibility Audit

Website: products.redcross.ca | Verdict : Compliant! | Date: December 1, 2020

Code snapshots of some successful elements

- `redcross, twitterredcross, facebookredcross, instagramLinks should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description. | Yes | 38 | 0 | 100% |
|---|---|-----|----|---|------|

Code snapshots of some successful elements

- `redcross, twitterredcross, facebookredcross, instagramfr`
- `Create an Account`



WCAG 2.1 AA Level Web Accessibility Audit

Website: products.redcross.ca | Verdict : Compliant! | Date: December 1, 2020

- `Login`
- ` Canadian Red Cross eShop`
- `Home`
- `Shop by Department <b class="caret">`
- `Contact Us`

5	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
6	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	5	0	100%

Code snapshots of some successful elements

- `<button class="input-icon " tabindex="0" role="button">Search<i class="icon-search" aria-hidden="true" data-acsb-force-hidden="true"></i></button>`
- `<div class="owl-prev " tabindex="0" role="button">Previous<i class="icon-angle-left" aria-hidden="true" data-acsb-force-hidden="true"></i></div>`
- `<div class="owl-next " tabindex="0" role="button">Next<i class="icon-angle-right" aria-hidden="true" data-acsb-force-hidden="true"></i></div>`



WCAG 2.1 AA Level Web Accessibility Audit

Website: products.redcross.ca | Verdict : Compliant! | Date: December 1, 2020

7	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
8	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
9	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
10	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
11	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles. Code snapshots of some failed elements <ul style="list-style-type: none">• <h1></h1>• <h2></h2>• <h3></h3>• <h4></h4>	Yes	-	Fail	0%
12	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	15	0	100%



WCAG 2.1 AA Level Web Accessibility Audit

Website: products.redcross.ca | Verdict : Compliant! | Date: December 1, 2020

13	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

- `<h1 class="section-title af5hn2wiralb" >Our Departments</h1>`

14	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
----	--	----	---	---	---

15	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	Yes	2	0	100%
----	--	-----	---	---	------

Code snapshots of some successful elements

- ` Cart<i class="icon-...`
- `Shop by Department <b class="caret">`

16	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	Yes	2	0	100%
----	--	-----	---	---	------

Code snapshots of some successful elements

- ` Cart<i class="icon-...`



WCAG 2.1 AA Level Web Accessibility Audit

Website: products.redcross.ca | Verdict : Compliant! | Date: December 1, 2020

- `Shop by Department <b class="caret">`

17	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	4	0	100%
----	--	-----	---	---	------

Code snapshots of some successful elements

- `<ul class="actions unstyled clearfix" data-acsb-menu="ul" ><li data-acsb-menu="li" data-acsb-menu-root="true"> <span data-="true" " ar...`
- `<nav id="tiny-menu" class="clearfix" role="navigation" aria-label="Header Menu"><ul class="user-menu" data-acsb-menu="ul" ><li data-acsb-menu="li" data-acsb-menu-root="true"><a href="/register" data-acsb-menu="a" data-acsb-menu-root-link="true" da...`
- `<nav id="site-menu" role="navigation" data-acsb-main-menu="true" aria-label="Main Menu"><ul class="main-menu hidden-sm hidden-xs" data-acsb-menu="ul" ><li data-acsb-menu="li" data-acsb-menu-root="true"> <a href="/" data-acsb...`
- `<ul class="menu iconed-menu unstyled" data-acsb-menu="ul" ><li data-acsb-menu="li" data-acsb-menu-root="true"><i class="icon-circle-bla...`

18	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
----	---	----	---	---	---

19	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	11	0	100%
----	--	-----	----	---	------



WCAG 2.1 AA Level Web Accessibility Audit

Website: products.redcross.ca | Verdict : Compliant! | Date: December 1, 2020

Code snapshots of some successful elements

- ``
- ``
- ``
- ``
- ``
- ``
- ``
- ``
- ``
- ``

20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	No	0	0	-
21	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-



WCAG 2.1 AA Level Web Accessibility Audit

Website: products.redcross.ca | Verdict : Compliant! | Date: December 1, 2020

22	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
23	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
24	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
25	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
26	aria-describedby and aria-labelledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	No	0	0	-
27	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	Pass	-	100%

Code snapshots of some successful elements

- `<input type="text" name="q" id="input-search2" class="round-input full-width input-sm" placeholder="Search" spellcheck="false" data-ms-editor="true" data-acsb-textual-type="search" data-acsb-validation-uuid="input-search2" data-acsb-field-visible="...`

28	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
----	---	----	---	---	---



WCAG 2.1 AA Level Web Accessibility Audit

Website: products.redcross.ca | Verdict : Compliant! | Date: December 1, 2020

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	Pass	-	100%
----	---	-----	------	---	------

Code snapshots of some successful elements

- `<form action="/search" method="get" onsubmit="return gtm_ec_search_click(document.getElementById('input-search2').value);" data-acsb-form-uuid="avjznzbtwn8c" data-acsb-form-type="search"> <input type="hidden" name="categoryId"...`

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	Yes	Pass	-	100%
----	---	-----	------	---	------

Code snapshots of some successful elements

- `<form action="/search" method="get" onsubmit="return gtm_ec_search_click(document.getElementById('input-search2').value);" data-acsb-form-uuid="avjznzbtwn8c" data-acsb-form-type="search"> <input type="hidden" name="categoryId"...`

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

- `<title >Canadian Red Cross eShop</title>`

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------



WCAG 2.1 AA Level Web Accessibility Audit

Website: products.redcross.ca | Verdict : Compliant! | Date: December 1, 2020

Code snapshots of some successful elements

- `<html class="noIE csstransforms csstransforms3d csstransitions js flexbox flexboxlegacy canvas canvastext webgl no-touch geolocation postmessage websqldatabase indexeddb hashchange history draganddrop websockets rgba hsla multiplebgs backgroundsize b...`

33	The meta viewport tag should allow visually impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

- `<meta name="viewport" content="width=device-width, initial-scale=1" >`

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	2	0	100%
----	---	-----	---	---	------

Code snapshots of some successful elements

- `<main id="main-content" role="main" data-acsb-main="true"><!-- OUR DEPARTMENTS --><section class="section new-arrivals visible-items-5"><div class="container"> <div class="row"> <header class="section-header clearfix col-sm-offset-3 col-...`
- `<footer class="page-footer" data-acsb-page-footer="true" role="contentinfo" aria-label="Footer"><!-- WIDGET AREA --><div class="widgets"> <!-- FIRST ROW --> <div class="section "> <div class="container"> ...`

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------



WCAG 2.1 AA Level Web Accessibility Audit

Website: products.redcross.ca | Verdict : Compliant! | Date: December 1, 2020

36	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	No	0	0	-
37	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
38	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	11	0	100%

Code snapshots of some successful elements

- `Previous<i class="icon-angle-left " aria-hidden="true" data-acsb-force-hidden="true" ></i>`
- `Next<i class="icon-angle-right " aria-hidden="true" data-acsb-force-hidden="true" ></i>`
- `<div class="owl-prev " tabindex="0" role="button">Previous<i class="icon-angle-left" aria-hidden="true" data-acsb-force-hidden="true" ></i></div>`
- `<div class="owl-next " tabindex="0" role="button">Next<i class="icon-angle-right" aria-hidden="true" data-acsb-force-hidden="true" ></i></div>`
- `+ Add to Cart`
- `+ Add to Cart`

39	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	Yes	3	0	100%
----	--	-----	---	---	------



WCAG 2.1 AA Level Web Accessibility Audit

Website: products.redcross.ca | Verdict : Compliant! | Date: December 1, 2020

Code snapshots of some successful elements

- `<div id="home-slider" class="visible-lg visible-md" role="region" " aria-label="Carousel" >
<div class="flexslider"> <div class="flex-viewport" style="overflow: hidden; position: relative;"
><ul class="slides" style="width: 1800%; transition-...`
- `<div class="owl-carousel owl-theme" data-visible-items="5" data-navigation="true" data-lazyload="true" style="opacity: 1; display: block;" role="region" " aria-label="Carousel" ><div class="owl-controls clickable top"> <div class="owl-butto...`
- `<div class="owl-carousel owl-theme" data-visible-items="4" data-navigation="true" data-lazyload="true" style="opacity: 1; display: block;" role="region" " aria-label="Carousel" ><div class="owl-controls clickable top"> <div class="owl-but...`

40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	Yes	7	0	100%

Code snapshots of some successful elements

- `Next carousel slide 1`
- `Next carousel slide 2`
- `Next carousel slide 3`
- `Next carousel slide 4`



WCAG 2.1 AA Level Web Accessibility Audit

Website: products.redcross.ca | Verdict : Compliant! | Date: December 1, 2020

- `Next carousel slide 5`
- `Next carousel slide 6`
- `Next carousel slide 7`

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	Yes	Pass	-	100%

Code snapshots of some successful elements

- `<s class="entry-discount ">Original Number$1,899.00</s>`

46	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	Pass	-	100%
----	---	-----	------	---	------



WCAG 2.1 AA Level Web Accessibility Audit

Website: products.redcross.ca | Verdict : Compliant! | Date: December 1, 2020

Code snapshots of some successful elements

- `<iframe name="f3bafefeb117764" width="1000px" height="1000px" data-testid="fb:like_box Facebook Social Plugin" title="fb:like_box Facebook Social Plugin" frameborder="0" allowtransparency="true" allowfullscreen="true" scrolling="no" allow="encrypted-...`

47	Making use of an accessibility interface helps to ensure that visually impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100%
48	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
49	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-